EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39259	prefer$ with agent 709/227,228. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L2	3285	709/227,228.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L3	1207	370/331.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L4	36025	prefer$ with agent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L5	28119	"709"/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L6	278	(prefer$ with agent) and "709"/$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L7	59876	prefer$ with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L8	58647	"709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L9	596	(prefer$ with agent) and "709"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L10	93	((prefer$ with agent) and "709"/$. ccls.) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32

EAST Search History

L11	46	(((prefer$ with agent) and "709"/$. ccls.) and @ad<"19990309") and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L12	58	switch$ with prefer$ with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L13	27	switching with prefer$ with agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L14	5	(switching with prefer$ with agent) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L15	5009	709/238-244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L16	0	709/238-244.ccls. and preferred adj (device or entity or agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L17	838	709/239.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L18	262	709/239.ccls. and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L19	1	(709/239.ccls. and @ad<"19990309") and GGSN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L20	1225	709/238-244.ccls. and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32

L21	1	(709/238-244.ccls. and @ad<"19990309") and GGSN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L22	2	"6195705".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L23	1	"6195705".pn. and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L24	2	"6195705".pn. and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L25	158	"6195705".URPN.	USPAT	OR	ON	2007/10/30 13:32
L26	27	("5446736" | "5691985" | "5875183" | "5930714" | "5987011" | "6014569" | "6041358" | "6084870" | "6122665" | "6161008" | "6185288" | "6195705" | "6298062" | "6314284" | "6337858" | "6393482" | "6421339" | "6421714" | "6434134" | "6434168" | "6473411" | "6490259" | "6490275" | "6496704" | "6526033" | "6628943" | "6665293").PN.	USPAT	OR	ON	2007/10/30 13:32
L27	1815	assign$ with address with identifier	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L28	127	assign$ with address with identifier with mobile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L29	2900	broadcast$ with identifier	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L30	147	(assign$ with address with identifier) and (broadcast$ with identifier)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32

L31	88	((assign$ with address with identifier) and (broadcast$ with identifier)) and @ad<"20000616"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L32	2	"6694350".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L33	2	"6195705".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L34	1	L33 and access$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L35	278	(prefer$ with agent) and "709"/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L36	278	L35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L37	93	((prefer$ with agent) and "709"/$.ccls.) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L38	93	L37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L39	46	(((prefer$ with agent) and "709"/$.ccls.) and @ad<"19990309") and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L40	46	L39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32

EAST Search History

L41	5	(switching with prefer$ with agent) and @ad<"19990309"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L42	5	L41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L43	127	assign$ with address with identifier with mobile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L44	127	L43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L45	147	(assign$ with address with identifier) and (broadcast$ with identifier)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L46	88	((assign$ with address with identifier) and (broadcast$ with identifier)) and @ad<"20000616"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32
L47	147	L45 L46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/30 13:32